

NORTH DAKOTA REGISTERED SERVICE COMPANIES LIQUID

CMS Petroleum Equipment Co. PO Box 85 Morris MN 56267	Phone: 320-589-9017 Fax 320-589-2827 E-Mail: cmspetro@hotmail.com Web:
<input type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input checked="" type="checkbox"/> LPG <input checked="" type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Crossroads Repair, LLC 8060 36 th St SE Jamestown ND 58401	Phone: 701-400-7299 Fax E-Mail: jheidt@crossroadsrepair.com Web:
<input type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 100 gpm <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 100 gpm <input checked="" type="checkbox"/> LPG <input checked="" type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Hobbs, Inc. 2389 Business Loop I-94 Mandan ND 58554	Phone: 701-663-6363 Fax 701-663-9220 E-Mail: mattw@hobbsinc.net Web:
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 100 gpm <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 100 gpm <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

JL Inspections LLC 1004 5 th Ave NW Mandan ND 58554	Phone: 701-391-2355 Fax: Email: jlevi50@yahoo.com Web:
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 500 gpm <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 500 gpm <input checked="" type="checkbox"/> LPG <input checked="" type="checkbox"/> Stationary LPG <input checked="" type="checkbox"/> Fertilizer: Max. Flow Rate: 500 gpm <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Main Line Measurement LLC PO Box 4344 Minot ND 58702-4344	Phone: 337-936-1034 Fax: E-Mail: audie.pankhurst@gmail.com Web:
<input type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input type="checkbox"/> Vehicle Tank: Max Flow Rate: <input type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Midwest Meter Prover's 2965 85 th Ave SE Jamestown ND 58401-9604	Phone: 701-320-3698 Fax: E-Mail: Web:
<input type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input type="checkbox"/> Vehicle Tank: Max Flow Rate: <input type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input checked="" type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Midwest Pump & Tank PO Box 2105 Aberdeen SD 57402-2105	Phone: 605-225-0577 Fax: 605-225-0516 E-Mail: mpt@midwestpump.com Web:
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 60 <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 60 <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

O'Day Equipment, LLC 1301 40th St NW Fargo ND 58108	Phone: 701-282-9260 Fax: 701-281-9770 E-Mail: service@odayequipment.com Web: www.odayequipment.com
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 100 gpm <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 100 gpm <input checked="" type="checkbox"/> LPG <input checked="" type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

O'Day Equipment, LLC 635 31 st St SE Minot ND 58701	Phone: 701-852-3145 Fax: 701-852-6058 E-Mail: service@odayequipment.com Web: www.odayequipment.com
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 100 gpm <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 100 gpm <input checked="" type="checkbox"/> LPG <input checked="" type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Petroleum Calibration Service, LLC 203 E Hwy 61 Esko MN 55733	Phone: 218-213-6556 Fax: 218-879-5299 E-Mail: petroleumcalibration@gmail.com Web:
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input type="checkbox"/> Vehicle Tank: Max Flow Rate: <input type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Premium Petroleum Services, LLC PO Box 4112 Bismarck ND 58502-4112	Phone: 855-301-3835 Fax: E-Mail: james@premiumpetroleumservices.com Web:
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Quam Petroleum Service, Inc. 4720 Highway 6 Mandan ND 58554	Phone: 701-663-3732 Fax: 701-663-3650 E-Mail: jqbigguy@ceas.coop Web:
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input checked="" type="checkbox"/> Fertilizer: Max. Flow Rate: <input checked="" type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

R & R Petroleum Equipment Sales, Inc. 5115 County Road 81 N Fargo ND 58102	Phone: 701-293-1707 Fax: 701-293-0310 E-Mail: jschaefer@rrpetroleum.net Web:
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

RJT Testing and Service, LLC 49134 150 th St Donnelly MN 56235	Phone: 320-589-4421 Fax: 320-589-4421 E-Mail: rjttesting2011@gmail.com Web:
<input type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 100 gpm <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 100 gpm <input checked="" type="checkbox"/> LPG <input checked="" type="checkbox"/> Stationary LPG <input checked="" type="checkbox"/> Fertilizer: Max. Flow Rate: 100 gpm <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Reiter Oil & Gas, Inc. PO Box 2226 Minot ND 58702-2226	Phone: 701-839-6791 Fax: 701-838-4462 E-Mail: acreiter@srt.com Web:
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 100 gpm <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 100 gpm <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Rollie's Sales and Service, Inc. PO Box E Osakis MN 56360	Phone: 320-859-4811 Fax: 320-859-3585 E-Mail: rollies09@gmail.com Web: www.rolliessales.com
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 100 <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 100 <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Seneca Companies, Inc. 4140 E 14 th St Des Moines IA 50313	Phone: 816-761-1270 Fax: E-Mail: khankins@senecaco.com Web:
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input type="checkbox"/> Vehicle Tank: Max Flow Rate: <input type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

T & T Measurements, Inc. 10671 43 rd St NW New Town ND 58763	Phone: 701-842-4194 Fax: E-Mail: john.dietrich81@gmail.com Web:
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 500 gpm <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 500 gpm <input checked="" type="checkbox"/> LPG <input checked="" type="checkbox"/> Stationary LPG <input checked="" type="checkbox"/> Fertilizer: Max. Flow Rate: 500 gpm <input checked="" type="checkbox"/> Chemical: Max. Flow Rate: 100 gpm <input type="checkbox"/> Anhydrous <input checked="" type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Valley Petroleum Equipment, Inc. 677 43rd St NW Fargo ND 58102-3980	Phone: 701-373-7806 Fax: 701-373-7807 E-Mail: kathy@valleypetroleum.com Web: www.valleypetroleum.com
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Valley Petroleum Equipment, Inc. PO Box 13355 Grand Forks ND 58208	Phone: 701-772-7261 Fax: 701-772-1301 E-Mail: kathy@valleypetroleum.com Web: www.valleypetroleum.com
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

WestMor Fluid Solutions, LLC 14044 W Freeway Dr Columbus MN 55038	Phone: 763-571-8110 Fax: 763-571-1789 E-Mail: ryan.hartin@westmor-ind.com Web: www.westmor-ind.com
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 1000 gpm <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 600 gpm <input checked="" type="checkbox"/> LPG <input checked="" type="checkbox"/> Stationary LPG <input checked="" type="checkbox"/> Fertilizer: Max. Flow Rate: 600 gpm <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input checked="" type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

WestMor Industries, LLC PO Box 683 Morris MN 56267-0683	Phone: 320-589-2100/1-800-992-8981 Fax: 320-589-2206 E-Mail: dispatches@westmor-ind.com Web: www.westmor-ind.com
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 80 gpm <input type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input checked="" type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

7/17/2020

For an updated list, see our website at:
www.psc.nd.gov/jurisdiction/weights/index.php