

## NORTH DAKOTA REGISTERED SERVICE COMPANIES LIQUID

Binstock Inspection Service, Inc. 2421 Crocus Dr N Mandan ND 58554	Phone: 701-400-0763 Fax: Email: <a href="mailto:cscn2001@msn.com">cscn2001@msn.com</a> Web:
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 500 gpm <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 500 gpm <input checked="" type="checkbox"/> LPG <input checked="" type="checkbox"/> Stationary LPG <input checked="" type="checkbox"/> Fertilizer: Max. Flow Rate: 500 gpm <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input checked="" type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

CMS Petroleum Equipment Co. PO Box 85 Morris MN 56267	Phone: 320-589-9017 Fax 320-589-2827 E-Mail: <a href="mailto:cmspetro@hotmail.com">cmspetro@hotmail.com</a> Web:
<input type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input checked="" type="checkbox"/> LPG <input checked="" type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Hobbs, Inc. 2389 Business Loop I-94 Mandan ND 58554	Phone: 701-663-6363 Fax: 701-663-9220 E-Mail: <a href="mailto:todd@hobbsinc.net">todd@hobbsinc.net</a> Web:
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 100 gpm <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 100 gpm <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Main Line Measurement LLC PO Box 4344 Minot ND 58702-4344	Phone: 337-936-1034 Fax: E-Mail: <a href="mailto:audie.pankhurst@gmail.com">audie.pankhurst@gmail.com</a> Web:
<input type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input type="checkbox"/> Vehicle Tank: Max Flow Rate: <input type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Midwest Liquid Systems, Inc. PO Box 71 Eldora IA 50627	Phone: 641-858-2668 Fax: 641-858-3424 E-Mail: <a href="mailto:mls@midwestliquid.com">mls@midwestliquid.com</a> Web:
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input type="checkbox"/> Vehicle Tank: Max Flow Rate: <input type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Midwest Meter Prover's 2965 85 <sup>th</sup> Ave SE Jamestown ND 58401-9604	Phone: 701-320-3698 Fax: E-Mail: Web:
<input type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input type="checkbox"/> Vehicle Tank: Max Flow Rate: <input type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input checked="" type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Midwest Pump & Tank PO Box 2105 Aberdeen SD 57402-2105	Phone: 605-225-0577 Fax: 605-225-0516 E-Mail: <a href="mailto:mpt@midwestpump.com">mpt@midwestpump.com</a> Web:
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 60 <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 60 <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

O'Day Equipment, LLC 1301 40th St NW Fargo ND 58108	Phone: 1-800-654-6329 Fax: 701-281-9770 E-Mail: <a href="mailto:service@odayequipment.com">service@odayequipment.com</a> Web: <a href="http://www.odayequipment.com">www.odayequipment.com</a>
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 100 gpm <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 100 gpm <input checked="" type="checkbox"/> LPG <input checked="" type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

<p>O'Day Equipment, LLC          635 31<sup>st</sup> St SE          Minot ND 58701</p>	<p>Phone: 701-852-3145          Fax: 701-852-6058          E-Mail: <a href="mailto:service@odayequipment.com">service@odayequipment.com</a>          Web: <a href="http://www.odayequipment.com">www.odayequipment.com</a></p>
<p><input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute)  <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater)  <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 100 gpm  <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 100 gpm  <input checked="" type="checkbox"/> LPG  <input checked="" type="checkbox"/> Stationary LPG  <input type="checkbox"/> Fertilizer: Max. Flow Rate:  <input type="checkbox"/> Chemical: Max. Flow Rate:  <input type="checkbox"/> Anhydrous  <input type="checkbox"/> Loading Rack  <input type="checkbox"/> Other:</p>	

<p>Petroleum Calibration Service, LLC          203 E Hwy 61          Esko MN 55733</p>	<p>Phone: 218-213-6556          Fax: 218-879-5299          E-Mail: <a href="mailto:petroleumcalibration@gmail.com">petroleumcalibration@gmail.com</a>          Web:</p>
<p><input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute)  <input type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater)  <input type="checkbox"/> Vehicle Tank: Max Flow Rate:  <input type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate:  <input type="checkbox"/> LPG  <input type="checkbox"/> Stationary LPG  <input type="checkbox"/> Fertilizer: Max. Flow Rate:  <input type="checkbox"/> Chemical: Max. Flow Rate:  <input type="checkbox"/> Anhydrous  <input type="checkbox"/> Loading Rack  <input type="checkbox"/> Other:</p>	

Quam Petroleum Service, Inc. 4720 Highway 6 Mandan ND 58554	Phone: 701-663-3732 Fax: 701-663-3650 E-Mail: <a href="mailto:jqbigguy@ceas.coop">jqbigguy@ceas.coop</a> Web:
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input checked="" type="checkbox"/> Fertilizer: Max. Flow Rate: <input checked="" type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

R & R Petroleum Equipment Sales, Inc. 5115 County Road 81 N Fargo ND 58102	Phone: 701-293-1707 Fax: 701-293-0310 E-Mail: <a href="mailto:jschaefer@rrpetroleum.net">jschaefer@rrpetroleum.net</a> Web:
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

RJT Testing and Service, LLC 49134 150 <sup>th</sup> St Donnelly MN 56235	Phone: 320-589-4421 Fax: 320-589-4421 E-Mail: Web:
<input type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 100 gpm <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 100 gpm <input checked="" type="checkbox"/> LPG <input checked="" type="checkbox"/> Stationary LPG <input checked="" type="checkbox"/> Fertilizer: Max. Flow Rate: 100 gpm <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Reiter Oil & Gas, Inc. PO Box 2226 Minot ND 58702	Phone: 701-839-6791 Fax: 701-838-6400 E-Mail: <a href="mailto:acreiter@srt.com">acreiter@srt.com</a> Web:
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 100 gpm <input type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Rollie's Sales and Service, Inc. PO Box E Osakis MN 56360	Phone: 320-859-4811 Fax: 320-859-3585 E-Mail: <a href="mailto:rollies09@gmail.com">rollies09@gmail.com</a> Web: <a href="http://www.rolliessales.com">www.rolliessales.com</a>
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 100 <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 100 <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

T & T Measurements, Inc. 10671 43 <sup>rd</sup> St NW New Town ND 58763	Phone: 701-675-2373 Fax: E-Mail: <a href="mailto:travist@ruggedwest.com">travist@ruggedwest.com</a> Web:
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 500 gpm <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 500 gpm <input checked="" type="checkbox"/> LPG <input checked="" type="checkbox"/> Stationary LPG <input checked="" type="checkbox"/> Fertilizer: Max. Flow Rate: 500 gpm <input checked="" type="checkbox"/> Chemical: Max. Flow Rate: 100 gpm <input type="checkbox"/> Anhydrous <input checked="" type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Valley Petroleum Equipment, Inc. 677 43rd St NW Fargo ND 58102-3980	Phone: 701-373-7806 Fax: 701-373-7807 E-Mail: <a href="mailto:kathy@valleypetroleum.com">kathy@valleypetroleum.com</a> Web: <a href="http://www.valleypetroleum.com">www.valleypetroleum.com</a>
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Valley Petroleum Equipment, Inc. 5510 10th Ave N Grand Forks ND 58203-1705	Phone: 701-772-7261 Fax: 701-772-1301 E-Mail: <a href="mailto:kathy@valleypetroleum.com">kathy@valleypetroleum.com</a> Web: <a href="http://www.valleypetroleum.com">www.valleypetroleum.com</a>
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

WestMor Fluid Solutions, LLC 14044 W Freeway Dr Columbus MN 55038	Phone: 763-571-8110 Fax: 763-571-0789 E-Mail: <a href="mailto:ryan.hartin@westmor-ind.com">ryan.hartin@westmor-ind.com</a> Web: <a href="http://www.westmor-ind.com">www.westmor-ind.com</a>
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 1000 gpm <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 600 gpm <input checked="" type="checkbox"/> LPG <input checked="" type="checkbox"/> Stationary LPG <input checked="" type="checkbox"/> Fertilizer: Max. Flow Rate: 600 gpm <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input checked="" type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

WestMor Industries, LLC PO Box 683 Morris MN 56267-0683	Phone: 320-589-2100/1-800-992-8981 Fax: 320-589-2206 E-Mail: <a href="mailto:dispatches@westmor-ind.com">dispatches@westmor-ind.com</a> Web: <a href="http://www.westmor-ind.com">www.westmor-ind.com</a>
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 80 gpm <input type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input checked="" type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

5/29/2018

For an updated list, see our website at:  
[www.psc.nd.gov/jurisdiction/weights/index.php](http://www.psc.nd.gov/jurisdiction/weights/index.php)